EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	("6175579").PN.	US-PGPUB; USPAT	OR	OFF	2007/09/05 10:54
S2	1	("5748657").PN.	US-PGPUB; USPAT	OR	OFF	2007/09/05 10:55
S3	1	("6011769").PN.	US-PGPUB; USPAT	OR	OFF	2007/09/05 18:52
S4	5	(laser or semiconductor) with ("LC oscillator circuit")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 10:59
S5	15127	(laser or semiconductor) same ((LC near3 circuit) or (induct$4 with capacit $4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 14:17
S6	63	S5 and "369".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 11:01
S7	449	(laser or semiconductor) with (LC near3 circuit)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 12:32
S8	6	S7 and "369".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 14:36
S9	34	((laser or light) near3 (diode)) with (LC near3 circuit)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 14:41

S10	3	S9 and "369".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 12:11
S11	2	(((laser or light) near3 (diode)) with (LC near3 circuit)) and (anode with cathode)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 12:24
S12	30	((laser or semiconductor) with (LC near3 circuit)) and (anode with cathode)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 12:40
S13	1	S12 and "369".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 12:32
S14	947261	(optical or disk or disc) near3 (drive or apparatus or device)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 12:40
S15	1	S12 and S13	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 12:40
S16	2	(((laser or light) near3 (diode)) with (LC near3 circuit)) same inverter	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 14:16
S17	619	((laser or semiconductor) same ((LC near3 circuit) or (induct$4 with capacit $4))) same inverter	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 14:18

S18	0	S17 and "369".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 14:27
S19	32	(inverter with parallel with LC) same (laser or diode)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 14:30
S20	0	S19 and "369".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 14:30
S21	690	(LC near2 circuit) with inverter	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 14:36
S22	113	(LC near2 circuit) with parallel$3 with inverter	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 14:37
S23	0	S22 and "369".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 14:38
S24	263	(inductor with parallel $3 with inverter) same (laser or diode)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 14:39
S25	0	S24 and "369".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 14:39

S26	1	(inductor with parallel $3 with inverter) same (laser)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 14:39
S27	7	S9 and inverter	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 18:38
S28	1	de-boer-michiel.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 18:38
S29	1	("6175579").PN.	US-PGPUB; USPAT	OR	OFF	2007/09/05 18:46
S30	1	("5495464").PN.	US-PGPUB; USPAT	OR	OFF	2007/09/05 18:52
S32	526	(laser or (light near3 diode)) with (parasitic near3 capacit$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/18 13:03
S33	11	S32 and "369".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/18 13:04
S34	1	("4,787,078").PN.	US-PGPUB; USPAT	OR	OFF	2008/03/18 13:06
S35	0	(10/539363).CCLS.	US-PGPUB; USPAT	OR	OFF	2008/06/06 10:59
S36	1	10/539363	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/06 10:59

S37	166	((laser or light or LED or diode or semiconductor) same (oscillat$4) same (induct$4) same (capacit$4)) and (optical near2 (disk or disc or medium or media))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/06 12:52
S38	12	S37 and "369".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/06 12:53
S39	48	((laser or light or LED or diode or semiconductor) same (oscillat$4) same (induct$4) same (capacit$4) same (reson$5)) and (optical near2 (disk or disc or medium or media))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/06 13:03
S40	2232	((laser or light) with ((reson$5) or (LC near2 (oscillat$4 or circuit)))) same (optical near2 (drive or disk or disc or medium or media))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/06 13:13
S41	463	(((laser or light) near2 (device or source)) with ((reson$5) or (LC near2 (oscillat$4 or circuit)))) same (optical near2 (drive or disk or disc or medium or media))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/06 13:14

S42	2	(((laser or light) near2 (device or source)) with ((reson $5) or (LC near2 (oscillat$4 or circuit)))) same (optical near2 (drive or disk or disc or medium or media)) same ((reduc$4 or lower same conserv $5) near3 (power or energy or current or voltage))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/06 13:16
S43	90	((laser or light) near4 (driv$4)) same ((LC near2 oscillat$4) or (reson$5)) same (induct$4) same (capacit$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/06 13:21
S44	1	S43 and ("369" or "360" or "720").clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/06 13:22
S45	3	(((laser or light) near4 (driv$4)) same ((LC near2 oscillat$4) or (reson$5)) same (induct$4) same (capacit$4)) and (optical near2 (disc or disk or media or medium))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/06 13:22
S46	6	((parasitic near3 capacit$5) with (laser or (light near3 diode))) and (LC near2 circuit)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/06 13:45
S47	699	(induct$4 or coil) with series with (laser or (light near3 diode))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/06 13:48

S48	15	S47 same (optical near2 (disc or disk or medium or media))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/06 13:51
S49	36	(LC near3 oscillat$4) and "369".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/06 13:57
S50	518	(laser or light or LED or diode or semiconductor) same (parasitic near2 capacit$4) same (inductor or coil) same (oscillat$4 or reson$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/06 14:03
S51	0	S50 and "369".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/06 14:05
S52	7	S50 and (optical near2 (drive or disk or disc or medium or media))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/06 14:05
S53	1017	ishikawa-masayuki.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/11 12:14
S54	1164	(laser and beam and generating).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/11 12:15
S55	1	S53 and S54	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/11 12:15

S56	43	satoh-tomio.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/11 12:16
S57	1	S53 and S56	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/11 12:16
S58	50	((vart$4 or vari$4 or chang$4) near3 (size or space or capacity)) near3 (TDMA or (temporary near2 defect))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/11 12:43
S59	0	tranistor near5 switch near5 (bootstrap near2 diode)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/11 13:58
S60	7	transistor near5 switch near5 (bootstrap near2 diode)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/11 13:58
S61	44	(bootstrap near2 diode) near5 switch$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/11 13:59
S62	83	(bootstrap near2 diode) with switch$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/11 14:03
S63	39	S62 not S61	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/11 14:03

S64	6635	(diode) near3 (us$3 or perform$4 or act $3) near3 switch$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/11 14:12
S65	0	(bootstrap near2 diode) and "369".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/11 14:16
S66	20	(bootstrap near2 diode) and (disc or disk or optical)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/11 14:16

6/11/2008 8:49:04 PM
C:\ Documents and Settings\ talunkal\ My Documents\ EAST\ Workspaces\ 10-539363.wsp